



ASTHMA POLICY



Help for non-English speakers

If you need help to understand the information in this policy, please contact the General Office on (03) 5592 1349

PURPOSE

To ensure that Terang College appropriately supports students diagnosed with asthma.

OBJECTIVE

To explain to Terang College parents/carers, staff and students the processes and procedures in place to support students diagnosed with asthma.

SCOPE

This policy applies to:

- all staff, including casual relief staff, contractors and volunteers
- all students who have been diagnosed with asthma or who may require emergency treatment for asthma and their parents/carers.

POLICY

Asthma

Asthma is a long term lung condition. People with asthma have sensitive airways in their lungs which react to triggers, causing a 'flare-up'. In a flare-up, the muscles around the airway squeeze tight, the airways swell and become narrow and there is more mucus. This makes it hard to breathe. An asthma flare-up can come on slowly (over hours, days or even weeks) or very quickly (over minutes). A sudden or severe asthma flare-up is sometimes called an asthma attack.

Symptoms

Symptoms of asthma can vary over time and often vary from person to person. The most common asthma symptoms are:

- breathlessness
- wheezing (a whistling noise from the chest)
- tight feeling in the chest
- persistent cough

Symptoms often occur at night, early in the morning or during/just after physical activity. If asthma is well controlled, a person should only have occasional asthma symptoms.

Triggers

A trigger is something that sets off or starts asthma symptoms. Everyone with asthma has different triggers. For most people with asthma, triggers are only a problem when asthma is not well controlled with medication. Common asthma triggers include:

- exercise
- smoke (cigarette smoke, wood smoke from open fires, burn-offs or bushfires)
- house dust mites
- pollens
- chemicals such as household cleaning products
- food chemicals/additives
- laughter or emotions, such as stress
- colds/flu
- weather changes such as thunderstorms and cold, dry air
- moulds
- animals such as cats and dogs
- deodorants (including perfumes, after-shaves, hair spray and aerosol deodorant sprayExs)
- certain medications (including aspirin and anti-inflammatories)

Asthma management

If a student diagnosed with asthma enrolls at Terang College:

1. Parents/carers must provide the school with an Asthma Action Plan which has been completed by the student's medical practitioner. The plan must outline:
 - the prescribed medication taken by the student and when it is to be administered, for example as a pre-medication to exercise or on a regular basis
 - emergency contact details
 - the contact details of the student's medical practitioner
 - the student's known triggers
 - the emergency procedures to be taken in the event of an asthma flare-up or attack.
2. Parents/carers should also provide a photo of the student to be included as part of the student's Asthma Action Plan.
3. Terang College will keep all Asthma Action Plans:
 - General office filing room
4. School staff may also work with parents/carers to develop a Student Health Support Plan which will include details on:
 - how the school will provide support for the student
 - identify specific strategies
 - allocate staff to assist the student

Any Student Health Support Plan will be developed in accordance with Terang College's Healthcare Needs Policy. <https://content.sdp.education.vic.gov.au/media/student-health-support-plan-2478>

5. If a student diagnosed with asthma is going to attend a school camp or excursion, Terang College parents/carers are required to provide any updated medical information.
6. If a student's asthma condition or treatment requirements change, parent/carers must notify the school and provide an updated Asthma Action Plan.
7. School staff will work with parents/carers to review Asthma Action Plans (and Student Health Support Plans) at the beginning of the school year.

Student asthma kit

All students diagnosed with asthma are required to have a student asthma kit at school which contains:

- their own prescribed reliever medication labelled with the student's name
- their spacer (if they use one)

Student asthma kits will be stored in the General office filing room

OR

Students will be required to keep their asthma kits with them while at school.

Some student asthma kits will be stored in their classroom, or other accessible location. Students will be required to keep their asthma kits with them while at school.

Asthma emergency response plan

If a student is:

- having an asthma attack
- difficulty breathing for an unknown cause, even if they are not known to have asthma

School staff will endeavour to follow the Asthma First Aid procedures outlined in the table below. School staff may contact Triple Zero “000” at any time.

Step	Action
1.	Sit the person upright <ul style="list-style-type: none"> • Be calm and reassuring • Do not leave them alone • Seek assistance from another staff member or reliable student to locate the student’s reliever, the Asthma Emergency Kit and the student’s Asthma Action Plan (if available). • If the student’s action plan is not immediately available, use the Asthma First Aid as described in Steps 2 to 5.
2.	Give 4 separate puffs of blue or blue/grey reliever puffer: <ul style="list-style-type: none"> • Shake the puffer • Use a spacer if you have one • Put 1 puff into the spacer • Take 4 breaths from the spacer Remember – Shake, 1 puff, 4 breaths
3.	Wait 4 minutes <ul style="list-style-type: none"> • If there is no improvement, give 4 more separate puffs of blue/grey reliever as above (or give 1 more dose of Bricanyl or Symbicort inhaler)
4.	If there is still no improvement call Triple Zero “000” and ask for an ambulance. <ul style="list-style-type: none"> • Tell the operator the student is having an asthma attack • Keep giving 4 separate puffs every 4 minutes until emergency assistance arrives (or 1 dose of Bricanyl or Symbicort every 4 minutes – up to 3 doses of Symbicort)
5.	If asthma is relieved after administering Asthma First Aid, stop the treatment and observe the student. Notify the student’s emergency contact person and record the incident

Staff will call Triple Zero “000” immediately if:

- the person is not breathing
- if the person’s asthma suddenly becomes worse or is not improving
- if the person is having an asthma attack and a reliever is not available
- if they are not sure if it is asthma
- if the person is known to have anaphylaxis

-

Training for staff

Terang College will arrange the following asthma management training for staff:

Staff	Completed by	Course	Provider	Cost	Valid for
Group 1 General Staff	School staff with a direct teaching role with students affected by asthma or other school staff directed by the Principal after conducting a risk assessment.	First Aid HLTAID011 Level 1 & 2	Pro-Med First Aid Warrnambool	Free for staff. School pays	2 years
		CPR Life Saving Skills			1 year

Terang College will also conduct an annual briefing for staff to know which students have asthma and are properly aware of asthma management procedures

- the procedures outlined in this policy
- the causes, symptoms and treatment of asthma
- identities of the students diagnosed with asthma
- how to use a puffer and spacer
- the location of:
 - the Asthma Emergency Kits
 - asthma medication which has been provided by parents for student use.

Terang College will also provide this policy to casual relief staff and volunteers who will be working with students, and may also provide a briefing if the Principal decides it is necessary depending on the nature of the work being performed.

Asthma Emergency Kit

Terang College will provide and maintain at least two Asthma Emergency Kits. One kit will be kept on school premises in the First aid storeroom and one will be a mobile kit for activities such as:

- yard duty
- camps and excursions.

The Asthma Emergency Kit will contain:

- at least 1 blue or blue/grey reliever medication such as Airomir, Admol or Ventolin
- at least 2 spacer devices (for single person use only) to assist with effective inhalation of the blue or blue/grey reliever medication (Terang College will ensure spare spacers are available as replacements). Spacers will be stored in a dust proof container.
- clear written instructions on Asthma First Aid, including:
 - how to use the medication and spacer devices
 - steps to be taken in treating an asthma attack

The school nurse and/or administration staff will monitor and maintain the Asthma Emergency Kits. They will:

- ensure all contents are maintained and replaced where necessary
- regularly check the expiry date on the canisters of the blue or blue/grey reliever puffers and place them if they have expired or a low on doses
- replace spacers in the Kits after each use (spacers are single-person use only)
- dispose of any previously used spaces.

The blue or blue/grey reliever medication in the Asthma Emergency Kits may be used by more than one student as long as they are used with a spacer. If the devices come into contact with someone's mouth, they will not be used again and will be replaced.

After each use of a blue or blue/grey reliever (with a spacer):

- remove the metal canister from the puffer (do not wash the canister)
- wash the plastic casing
- rinse the mouthpiece through the top and bottom under running water for at least 30 seconds
- wash the mouthpiece cover
- air dry then reassemble
- test the puffer to make sure no water remains in it, then return to the Asthma Emergency Kit.

Management of confidential medical information

Confidential medical information provided to Terang College to support a student diagnosed with asthma will be:

- recorded on the student's file
- shared with all relevant staff so that they are able to properly support students diagnosed with asthma and respond appropriately if necessary.

Communication plan

This policy will be available on Terang College's website so that parents and other members of the school community can easily access information about Terang College's asthma management procedures.

Epidemic Thunderstorm Asthma

Terang College will be prepared to act on the warnings and advice from the Department of Education and Training when the risk of epidemic thunderstorm asthma is forecast as high.

COMMUNICATION

This policy will be communicated to our school community in the following ways:

- Available publicly on our school's website (or insert other online parent/carer/student communication method)
- Included in staff induction processes and staff training
- Included in staff handbook/manual
- Discussed at annual staff briefings/meetings
- Included in transition and enrolment packs
- Discussed at parent information nights/sessions
- Reminders in our school newsletter
- Hard copy available from school administration upon request

FURTHER INFORMATION AND RESOURCES

- Asthma Australia: [Resources for schools](#)
- Policy and Advisory Library:
 - [Asthma](#)
 - [Treating an asthma attack](#)
 - The Department's Policy and Advisory Library [Health Care Needs](#): which includes policy, guidance and resources to support schools to manage students with identified health care needs, including a template Student Health Support Plan.

POLICY REVIEW AND APPROVAL

Policy last reviewed	November 2025
Approved by	Principal
Next scheduled review date	November 2026



MEDICATION AUTHORITY FORM

For students requiring medication to be administered at school

This form should, ideally, be signed by the student's medical/health practitioner for all medication to be administered at school but schools may proceed on the signed authority of parents in the absence of a signature from a medical practitioner.

- For students with asthma, [Asthma Australia's School Asthma Action Plan](#)
- For students with anaphylaxis, an [ASCIA Action Plan for Anaphylaxis](#)

Please only complete the sections below that are relevant to the student's health support needs. If additional advice is required, please attach it to this form.

Please note: wherever possible, medication should be scheduled outside school hours, eg medication required three times daily is generally not required during a school day – it can be taken before and after school and before bed.

Student Details

Name of school: _____

Name of student: _____ Date of Birth: _____

MedicAlert Number (if relevant): _____

Review date for this form: _____

Medication to be administered at school:

Name of Medication	Dosage (amount)	Time/s to be taken	How is it to be taken? (eg oral/topical/injection)	Dates to be administered	Supervision required
				Start: / / End: / / OR <input type="checkbox"/> Ongoing medication	<input type="checkbox"/> No – student self-managing <input type="checkbox"/> Yes <input type="checkbox"/> remind <input type="checkbox"/> observe <input type="checkbox"/> assist <input type="checkbox"/> administer
				Start: / / End: / / OR <input type="checkbox"/> Ongoing medication	<input type="checkbox"/> No – student self-managing <input type="checkbox"/> Yes <input type="checkbox"/> remind <input type="checkbox"/> observe <input type="checkbox"/> assist <input type="checkbox"/> administer

Medication delivered to the school

Please indicate if there are any specific storage instructions for any medication:

Medication delivered to the school

Please ensure that medication delivered to the school:

- Is in its original package
- The pharmacy label matches the information included in this form

Supervision required

Students in the early years will generally need supervision of their medication and other aspects of health care management. In line with their age and stage of development and capabilities, older students can take responsibility for their own health care. Self-management should be agreed to by the student and their parents/carers, the school and the student's medical/health practitioner.

Please describe what supervision or assistance is required by the student when taking medication at school (e.g. remind, observe, assist or administer):

Monitoring effects of medication

Please note: School staff **do not** monitor the effects of medication and will seek emergency medical assistance if concerned about a student's behaviour following medication.

Privacy Statement

We collect personal and health information to plan for and support the health care needs of our students. Information collected will be used and disclosed in accordance with the Department of Education and Training's privacy policy which applies to all government schools (available at: <http://www.education.vic.gov.au/Pages/schoolsprivacypolicy.aspx>) and the law.

Authorisation to administer medication in accordance with this form:

Name of parent/carer: _____

Signature: _____ Date: _____

Name of medical/health practitioner: _____

Professional role: _____

Signature: _____ Date: _____

Contact details: _____



MEDICATION ADMINISTRATION LOG

For students requiring medication to be administered at school

This log should be completed by the staff member administering medication to any student at the school.

Name of student:

Year level:

Date	Time	Name of Medication and Dose	Tick when checked ✓				Comments	Staff member administering (print name and initial)	Staff member checking* (print name and initial)
			Correct Child	Correct Medication	Correct Dose	Correct Route			

***Cross-checking:** It is recognised that in many school settings medication is administered using a system of two staff members checking that medication is correctly administered. This is an appropriate added safety measure and is seen as good practice.